

Synmar Alexius VI

Version number: 2.0
Replaces version of: 2021-11-18 (1)

Revision: 2024-05-17

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name **Synmar Alexius VI**
Article number S300002

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses Lubricants and lubricant additives
Professional use
Consumer use

1.3 Details of the supplier of the safety data sheet

Synmar B.V.
Albert Schweitzerstraat 7
7131 PG Lichtenvoorde
Netherlands

Telephone: +31 (0) 33 303 3044
e-mail: info@synmar.nl
Website: www.synmar.nl

e-mail (competent person) info@synmar.nl

1.4 Emergency telephone number

Emergency information service +31 (0) 33 303 3044
This number is only available during the following office hours: Mon-Fri 09:00 - 17:00

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (acc. to GB CLP)

Section	Hazard class	Category	Hazard class and category	Hazard statement
4.1C	hazardous to the aquatic environment - chronic hazard	2	Aquatic Chronic 2	H411

For full text of H-phrases: see SECTION 16

Code	Supplemental hazard information
EUH208	contains 4,4'-thiodiethylene hydrogen -2-octadecenylsuccinate. May produce an allergic reaction

The most important adverse physicochemical, human health and environmental effects

Spillage and fire water can cause pollution of watercourses.

2.2 Label elements

Labelling (acc. to GB CLP)

- signal word Not required.

- pictograms

GHS09



- hazard statements

H411 Toxic to aquatic life with long lasting effects.

Safety Data Sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)

Transition document following GB exit from the EU

Synmar Alexius VI

Version number: 2.0
 Replaces version of: 2021-11-18 (1)

Revision: 2024-05-17

- precautionary statements

P101	If medical advice is needed, have product container or label at hand.
P102	Keep out of reach of children.
P103	Read carefully and follow all instructions.
P273	Avoid release to the environment.
P391	Collect spillage.
P501	Dispose of contents/container in accordance with local/regional/national/international regulations.

- supplemental hazard information

EUH208 Contains 4,4'-thiodiethylene hydrogen -2-octadecenylsuccinate. May produce an allergic reaction.

2.3 Other hazards

Results of PBT and vPvB assessment

Does not contain a PBT-/vPvB-substance at a concentration of $\geq 0,1\%$.

Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) at a concentration of $\geq 0,1\%$.






SECTION 3: Composition/information on ingredients

3.1 Substances

Not relevant (mixture).

3.2 Mixtures

The product does not contain any other ingredients which are classified according to present knowledge of the supplier and contribute to the classification of the product and hence require reporting in this section.

Name of substance	Identifier	Wt%	Classification acc. to GHS	Pictograms	Notes
Baseoil-unspecified	CAS No 64742-54-7 EC No 265-157-1 Index No 649-467-00-8	≥ 50	Asp. Tox. 1 / H304		L(b)
reaction mass of isomers of: C7-9-alkyl 3-(3,5-di-tert-butyl-4-hydroxyphenyl)propionate	CAS No 125643-61-0 EC No 406-040-9 Index No 607-530-00-7	1 – 3	Aquatic Chronic 4 / H413		
Isooctadecanoic acid, reaction products with tetraethylenepentamine	CAS No 68784-17-8 EC No 701-204-9 272-225-4	1 – 3	Skin Irrit. 2 / H315 Eye Irrit. 2 / H319 Aquatic Chronic 4 / H413		
Alkyl phosphites	EC No 424-820-7	0.1 – 1	Acute Tox. 4 / H312 Skin Corr. 1B / H314 Eye Dam. 1 / H318 Aquatic Acute 1 / H400 Aquatic Chronic 1 / H410	  	

Safety Data Sheet


acc. to Regulation (EC) No. 1907/2006 (REACH)

Transition document following GB exit from the EU

Synmar Alexius VI

Version number: 2.0
Replaces version of: 2021-11-18 (1)

Revision: 2024-05-17

Name of substance	Identifier	Wt%	Classification acc. to GHS	Pictograms	Notes
4,4'-thiodiethylene hydrogen -2-octadeceny succinate	CAS No 93882-40-7 EC No 299-434-3	0.1 - 1	Eye Irrit. 2 / H319 Skin Sens. 1 / H317 Aquatic Chronic 2 / H411		

Notes

L(b): The classification as a carcinogen is not required. The substance contains less than 3 % DMSO extract

Name of substance	Identifier	Specific Conc. Limits	M-Factors	ATE	Exposure route
Alkyl phosphites	EC No 424-820-7	-	M-factor (acute) = 10 M-factor (chronic) = 10	1,100 ^{mg} / _{kg}	dermal

Remarks

All the percentages given are percentages by weight unless stated otherwise. For full text of H-phrases: see SECTION 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General notes

Do not leave affected person unattended. Remove victim out of the danger area. In case of unconsciousness place person in the recovery position. Never give anything by mouth. Take off immediately all contaminated clothing. In all cases of doubt, or when symptoms persist, seek medical advice.

Following inhalation

Provide fresh air. If breathing is irregular or stopped, immediately seek medical assistance and start first aid actions. In case of respiratory tract irritation, consult a physician.

Following skin contact

Wash with plenty of soap and water. If skin irritation or rash occurs: Get medical advice/attention.

Following eye contact

Irrigate copiously with clean, fresh water for at least 15 minutes, holding the eyelids apart. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

Following ingestion

Rinse mouth with water (only if the person is conscious). Do NOT induce vomiting. Call a POISON CENTER or doctor if you feel unwell. In case of vomiting keep the head low so that stomach contents cannot enter the lungs.

4.2 Most important symptoms and effects, both acute and delayed

If on skin

Repeated or prolonged contact with the preparation may cause removal of natural fat from the skin resulting in dryness, irritation and possible non-allergic contact dermatitis.

If in eyes

Redness, eye irritation.

If swallowed

Nausea, diarrhoea.

4.3 Indication of any immediate medical attention and special treatment needed

For specialist advice physicians should contact the poison centre.

Synmar Alexius VI

Version number: 2.0
Replaces version of: 2021-11-18 (1)

Revision: 2024-05-17

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Water mist; foam; dry extinguishing powder; carbon dioxide (CO₂);
Co-ordinate firefighting measures to the fire surroundings.

Unsuitable extinguishing media

Water jet.

5.2 Special hazards arising from the substance or mixture

Hazardous combustion products

During fire hazardous fumes/smoke could be produced: carbon monoxide (CO), carbon dioxide (CO₂), nitrogen oxides (NO_x), phosphorus oxides (P_xO_y), hydrogen sulphide (H₂S), sulphur oxides (SO_x).

5.3 Advice for firefighters

Keep containers cool with water spray. In case of fire and/or explosion do not breathe fumes. Co-ordinate firefighting measures to the fire surroundings. Do not allow firefighting water to enter drains or water courses. Collect contaminated firefighting water separately. Fight fire with normal precautions from a reasonable distance.

Special protective equipment for firefighters

Self-contained breathing apparatus (SCBA). Standard protective clothing for firefighters.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Remove persons to safety. Ventilate affected area. Special danger of slipping by leaking/spilling product.

For emergency responders

Wear breathing apparatus if exposed to vapours/dust/spray/gases. Use personal protective equipment as required.

6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it. If substance has entered a water course or sewer, inform the responsible authority.

6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Bunding. Covering of drains.

Advice on how to clean up a spill

Wipe up with absorbent material (e.g. cloth, fleece). Absorbent material (e.g. sand, diatomaceous earth, acid binder, universal binder, sawdust, etc.). Pump out large quantities. Remove from the water surface (e.g. skimming, sucking).

Appropriate containment techniques

Use of adsorbent materials.

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

Synmar Alexius VI

Version number: 2.0
Replaces version of: 2021-11-18 (1)

Revision: 2024-05-17

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Recommendations

- measures to prevent fire as well as aerosol and dust generation

Use local and general ventilation. Use only in well-ventilated areas.

Advice on general occupational hygiene

Wash hands after use. Do not eat, drink and smoke in work areas. Remove contaminated clothing and protective equipment before entering eating areas. Wash contaminated clothing before reuse. Never keep food or drink in the vicinity of chemicals.

Never place chemicals in containers that are normally used for food or drink. Keep away from food, drink and animal feeding-stuffs. Avoid prolonged and repeated contact with skin.

7.2 Conditions for safe storage, including any incompatibilities

Managing of associated risks

- flammability hazards

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

- incompatible substances or mixtures

Keep away from oxidising substances, acids.

Control of effects

Do not pierce or burn, even after use.

Protect against external exposure, such as

High temperatures. UV-radiation/sunlight.

Consideration of other advice

Store in a dry place. Store in a well-ventilated place. Keep container tightly closed. Keep only in original container.

- specific designs for storage rooms or vessels

- storage temperature

Recommended storage temperature: At ambient temperature

Maximum storage temperature: 40 °C

- maximum storage period

5 year(s)

- packaging compatibilities

Only packagings which are approved (e.g. acc. to ADR) may be used.

7.3 Specific end use(s)

There is no additional information.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

National limit values

No information available.

Relevant DNELs/DMELs/PNECs and other threshold levels

Relevant DNELs of components of the mixture						
Name of substance	CAS No	End-point	Threshold level	Protection goal, route of exposure	Used in	Exposure time
Baseoil-unspecified	64742-54-7	DNEL	2.73 mg/m ³	human, inhalatory	worker (industry)	chronic - systemic effects

Safety Data Sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)

Transition document following GB exit from the EU

Synmar Alexius VI

Version number: 2.0
 Replaces version of: 2021-11-18 (1)

Revision: 2024-05-17

Relevant DNELs of components of the mixture						
Name of substance	CAS No	End-point	Threshold level	Protection goal, route of exposure	Used in	Exposure time
Baseoil-unspecified	64742-54-7	DNEL	5.58 mg/m ³	human, inhalatory	worker (industry)	chronic - local effects
Baseoil-unspecified	64742-54-7	DNEL	0.97 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects
Baseoil-unspecified	64742-54-7	DNEL	0.74 mg/kg bw/day	human, oral	consumer (private households)	chronic - systemic effects
Baseoil-unspecified	64742-54-7	DNEL	1.19 mg/m ³	human, inhalatory	consumer (private households)	chronic - local effects
Isooctadecanoic acid, reaction products with tetraethylenepentamine	68784-17-8	DNEL	11.75 mg/m ³	human, inhalatory	worker (industry)	chronic - systemic effects
Isooctadecanoic acid, reaction products with tetraethylenepentamine	68784-17-8	DNEL	3.33 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects
Isooctadecanoic acid, reaction products with tetraethylenepentamine	68784-17-8	DNEL	2.9 mg/m ³	human, inhalatory	consumer (private households)	chronic - systemic effects
Isooctadecanoic acid, reaction products with tetraethylenepentamine	68784-17-8	DNEL	1.67 mg/kg bw/day	human, dermal	consumer (private households)	chronic - systemic effects
Isooctadecanoic acid, reaction products with tetraethylenepentamine	68784-17-8	DNEL	1.67 mg/kg bw/day	human, oral	consumer (private households)	chronic - systemic effects
reaction mass of isomers of: C7-9-alkyl 3-(3,5-di-tert-butyl-4-hydroxyphenyl)propionate	125643-61-0	DNEL	1,750 mg/m ³	human, inhalatory	worker (industry)	acute - systemic effects
reaction mass of isomers of: C7-9-alkyl 3-(3,5-di-tert-butyl-4-hydroxyphenyl)propionate	125643-61-0	DNEL	875 mg/m ³	human, inhalatory	consumer (private households)	acute - systemic effects
reaction mass of isomers of: C7-9-alkyl 3-(3,5-di-tert-butyl-4-hydroxyphenyl)propionate	125643-61-0	DNEL	50 mg/kg bw/day	human, dermal	consumer (private households)	acute - systemic effects
reaction mass of isomers of: C7-9-alkyl 3-(3,5-di-tert-butyl-4-hydroxyphenyl)propionate	125643-61-0	DNEL	50 mg/kg bw/day	human, oral	consumer (private households)	acute - systemic effects
reaction mass of isomers of: C7-9-alkyl 3-(3,5-di-tert-butyl-4-hydroxyphenyl)propionate	125643-61-0	DNEL	20 mg/kg bw/day	human, dermal	worker (industry)	acute - systemic effects

Safety Data Sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)

Transition document following GB exit from the EU

Synmar Alexius VI

Version number: 2.0
Replaces version of: 2021-11-18 (1)

Revision: 2024-05-17

Relevant DNELs of components of the mixture						
Name of substance	CAS No	End-point	Threshold level	Protection goal, route of exposure	Used in	Exposure time
reaction mass of isomers of: C7-9-alkyl 3-(3,5-di-tert-butyl-4-hydroxyphenyl)propionate	125643-61-0	DNEL	6.6 mg/m ³	human, inhalatory	worker (industry)	chronic - systemic effects
reaction mass of isomers of: C7-9-alkyl 3-(3,5-di-tert-butyl-4-hydroxyphenyl)propionate	125643-61-0	DNEL	1.67 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects
reaction mass of isomers of: C7-9-alkyl 3-(3,5-di-tert-butyl-4-hydroxyphenyl)propionate	125643-61-0	DNEL	1.62 mg/m ³	human, inhalatory	consumer (private households)	chronic - systemic effects
reaction mass of isomers of: C7-9-alkyl 3-(3,5-di-tert-butyl-4-hydroxyphenyl)propionate	125643-61-0	DNEL	0.83 mg/kg bw/day	human, dermal	consumer (private households)	chronic - systemic effects
reaction mass of isomers of: C7-9-alkyl 3-(3,5-di-tert-butyl-4-hydroxyphenyl)propionate	125643-61-0	DNEL	0.93 mg/kg bw/day	human, oral	consumer (private households)	chronic - systemic effects
Alkyl phosphites		DNEL	1.76 mg/m ³	human, inhalatory	worker (industry)	chronic - systemic effects
Alkyl phosphites		DNEL	0.5 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects
Alkyl phosphites		DNEL	0.43 mg/m ³	human, inhalatory	consumer (private households)	chronic - systemic effects
Alkyl phosphites		DNEL	0.25 mg/kg bw/day	human, dermal	consumer (private households)	chronic - systemic effects
Alkyl phosphites		DNEL	0.25 mg/kg bw/day	human, oral	consumer (private households)	chronic - systemic effects
4,4'-thiodiethylene hydrogen -2-octadecenylsuccinate	93882-40-7	DNEL	3.526 mg/m ³	human, inhalatory	worker (industry)	chronic - systemic effects
4,4'-thiodiethylene hydrogen -2-octadecenylsuccinate	93882-40-7	DNEL	2 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects
4,4'-thiodiethylene hydrogen -2-octadecenylsuccinate	93882-40-7	DNEL	0.5 mg/kg bw/day	human, oral	consumer (private households)	chronic - systemic effects

Safety Data Sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)

Transition document following GB exit from the EU

Synmar Alexius VI

Version number: 2.0
Replaces version of: 2021-11-18 (1)

Revision: 2024-05-17

Relevant PNECs of components						
Name of substance	CAS No	End-point	Threshold level	Organism	Environmental compartment	Exposure time
Isooctadecanoic acid, reaction products with tetraethylenepentamine	68784-17-8	PNEC	0.46 mg/l	aquatic organisms	freshwater	short-term (single instance)
Isooctadecanoic acid, reaction products with tetraethylenepentamine	68784-17-8	PNEC	0.046 mg/l	aquatic organisms	marine water	short-term (single instance)
Isooctadecanoic acid, reaction products with tetraethylenepentamine	68784-17-8	PNEC	1,000 mg/l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
Isooctadecanoic acid, reaction products with tetraethylenepentamine	68784-17-8	PNEC	38,100 mg/kg	aquatic organisms	freshwater sediment	short-term (single instance)
Isooctadecanoic acid, reaction products with tetraethylenepentamine	68784-17-8	PNEC	3,810 mg/kg	aquatic organisms	marine sediment	short-term (single instance)
Isooctadecanoic acid, reaction products with tetraethylenepentamine	68784-17-8	PNEC	10 mg/kg	terrestrial organisms	soil	short-term (single instance)
reaction mass of isomers of: C7-9-alkyl 3-(3,5-di-tert-butyl-4-hydroxyphenyl)propionate	125643-61-0	PNEC	0.018 mg/l	aquatic organisms	freshwater	short-term (single instance)
reaction mass of isomers of: C7-9-alkyl 3-(3,5-di-tert-butyl-4-hydroxyphenyl)propionate	125643-61-0	PNEC	0.002 mg/l	aquatic organisms	marine water	short-term (single instance)
reaction mass of isomers of: C7-9-alkyl 3-(3,5-di-tert-butyl-4-hydroxyphenyl)propionate	125643-61-0	PNEC	100 mg/l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
reaction mass of isomers of: C7-9-alkyl 3-(3,5-di-tert-butyl-4-hydroxyphenyl)propionate	125643-61-0	PNEC	2 mg/kg	aquatic organisms	freshwater sediment	short-term (single instance)
reaction mass of isomers of: C7-9-alkyl 3-(3,5-di-tert-butyl-4-hydroxyphenyl)propionate	125643-61-0	PNEC	0.2 mg/kg	aquatic organisms	marine sediment	short-term (single instance)
reaction mass of isomers of: C7-9-alkyl 3-(3,5-di-tert-butyl-4-hydroxyphenyl)propionate	125643-61-0	PNEC	10 mg/kg	terrestrial organisms	soil	short-term (single instance)

Safety Data Sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)

Transition document following GB exit from the EU

Synmar Alexius VI

Version number: 2.0
 Replaces version of: 2021-11-18 (1)

Revision: 2024-05-17

Relevant PNECs of components						
Name of substance	CAS No	End-point	Threshold level	Organism	Environmental compartment	Exposure time
Alkyl phosphites		PNEC	0.9 µg/l	aquatic organisms	freshwater	short-term (single instance)
Alkyl phosphites		PNEC	0.09 µg/l	aquatic organisms	marine water	short-term (single instance)
Alkyl phosphites		PNEC	5 mg/l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
Alkyl phosphites		PNEC	0.73 mg/kg	aquatic organisms	freshwater sediment	short-term (single instance)
Alkyl phosphites		PNEC	0.073 mg/kg	aquatic organisms	marine sediment	short-term (single instance)
Alkyl phosphites		PNEC	0.086 mg/kg	terrestrial organisms	soil	short-term (single instance)
4,4'-thiodiethylene hydrogen -2-octadecenylsuccinate	93882-40-7	PNEC	0.009 mg/l	aquatic organisms	freshwater	short-term (single instance)
4,4'-thiodiethylene hydrogen -2-octadecenylsuccinate	93882-40-7	PNEC	0.001 mg/l	aquatic organisms	marine water	short-term (single instance)
4,4'-thiodiethylene hydrogen -2-octadecenylsuccinate	93882-40-7	PNEC	100 mg/l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
4,4'-thiodiethylene hydrogen -2-octadecenylsuccinate	93882-40-7	PNEC	542,230 mg/kg	aquatic organisms	freshwater sediment	short-term (single instance)
4,4'-thiodiethylene hydrogen -2-octadecenylsuccinate	93882-40-7	PNEC	54,223 mg/kg	aquatic organisms	marine sediment	short-term (single instance)
4,4'-thiodiethylene hydrogen -2-octadecenylsuccinate	93882-40-7	PNEC	259,870 mg/kg	terrestrial organisms	soil	short-term (single instance)

8.2 Exposure controls

Appropriate engineering controls

General ventilation. Provide eyewash stations and safety showers at the workplace.

Individual protection measures (personal protective equipment)

Eye/face protection



Use safety goggle with side protection

Skin protection



Chemical protective clothing.

Hand protection



Wear suitable gloves. Check leak-tightness/impermeability prior to use. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manu-

Synmar Alexius VI

Version number: 2.0
Replaces version of: 2021-11-18 (1)

Revision: 2024-05-17

facter. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

- type of material

PVC: polyvinyl chloride, NP: neoprene, nitrile rubber

- material thickness

Use gloves with a minimum material thickness: ≥ 0.38 mm.

- breakthrough time of the glove material

Use gloves with a minimum breakthrough time of the glove material: >480 minutes (permeation: level 6).

- other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended. Wash hands thoroughly after handling.

Respiratory protection

In case of inadequate ventilation wear respiratory protection. Type: A-P2 (combined filters against particles and organic gases and vapours, colour code: Brown/White).

Environmental exposure controls

Take appropriate precautions to avoid uncontrolled release into the environment. Keep away from drains, surface and ground water.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state	liquid (oil)
Colour	amber
Odour	characteristic
Melting point/freezing point	≤ -45 °C
Boiling point or initial boiling point and boiling range	>280 °C
Evaporation rate	<0,1 (n-butyl acetate = 1)
Flammability	this material is combustible, but will not ignite readily
Lower and upper explosion limit	LEL: 0.6 vol% UEL: 7 vol%
Flash point	200 °C
Auto-ignition temperature	>240 °C (auto-ignition temperature (liquids and gases))
Decomposition temperature	no data available
pH (value)	not determined
Kinematic viscosity	25 – 60 mm ² /s

Solubility

Water solubility	insoluble
------------------	-----------

Safety Data Sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)

Transition document following GB exit from the EU

Synmar Alexius VI

Version number: 2.0
Replaces version of: 2021-11-18 (1)

Revision: 2024-05-17

Partition coefficient n-octanol/water (log value)	>3
---	----

Vapour pressure	<0.1 hPa at 20 °C
-----------------	-------------------

Density and/or relative density

Density	0.84 – 0.85 kg/l
---------	------------------

Relative vapour density	>1 at 20 °C (air = 1)
-------------------------	-----------------------

Particle characteristics	not relevant (liquid)
--------------------------	-----------------------

9.2 Other information

There is no additional information.

Information with regard to physical hazard classes	hazard classes acc. to GHS (physical hazards): not relevant
--	---

Other safety characteristics

Evaporation rate	<0.1 (n-butyl acetate = 1)
------------------	----------------------------

SECTION 10: Stability and reactivity

10.1 Reactivity

This material is not reactive under normal ambient conditions.

10.2 Chemical stability

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

10.3 Possibility of hazardous reactions

No known hazardous reactions.

10.4 Conditions to avoid

Keep away from heat, moisture.

10.5 Incompatible materials

Acids, oxidisers.

10.6 Hazardous decomposition products

Reasonably anticipated hazardous decomposition products produced as a result of use, storage, spill and heating are not known. Hazardous combustion products: see section 5.

Synmar Alexius VI

Version number: 2.0
Replaces version of: 2021-11-18 (1)

Revision: 2024-05-17

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Test data are not available for the complete mixture.

Classification procedure

The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

Classification acc. to GHS

Acute toxicity

Shall not be classified as acutely toxic.

Acute toxicity estimate (ATE) of components			
Name of substance	CAS No	Exposure route	ATE
Alkyl phosphites		dermal	1,100 mg/kg

Acute toxicity of components					
Name of substance	CAS No	Exposure route	Endpoint	Value	Species
Baseoil-unspecified	64742-54-7	oral	LD50	>5,000 mg/kg	rat
Baseoil-unspecified	64742-54-7	inhalation: dust/mist	LC50	>5.53 mg/l/4h	rat
Baseoil-unspecified	64742-54-7	dermal	LD50	>5,000 mg/kg	rabbit
Isooctadecanoic acid, reaction products with tetraethylenepentamine	68784-17-8	oral	LD50	>5,000 mg/kg	rat
Isooctadecanoic acid, reaction products with tetraethylenepentamine	68784-17-8	dermal	LD50	>2,000 mg/kg	rabbit
reaction mass of isomers of: C7-9-alkyl 3-(3,5-di-tert-butyl-4-hydroxyphenyl)propionate	125643-61-0	oral	LD50	>2,000 mg/kg	rat
reaction mass of isomers of: C7-9-alkyl 3-(3,5-di-tert-butyl-4-hydroxyphenyl)propionate	125643-61-0	dermal	LD50	>2,000 mg/kg	rat
Alkyl phosphites		oral	LD50	>2,000 mg/kg	rat
Alkyl phosphites		dermal	LD50	>500 mg/kg	rabbit
4,4'-thiodiethylene hydrogen -2-octadecenylsuccinate	93882-40-7	oral	LD50	>10,000 mg/kg	rat
4,4'-thiodiethylene hydrogen -2-octadecenylsuccinate	93882-40-7	dermal	LD50	>3,160 mg/kg	rabbit

Skin corrosion/irritation

Shall not be classified as corrosive/irritant to skin.

Serious eye damage/eye irritation

Shall not be classified as seriously damaging to the eye or eye irritant.

Respiratory or skin sensitisation

Contains 4,4'-thiodiethylene hydrogen -2-octadecenylsuccinate. May produce an allergic reaction.

Synmar Alexius VI

Version number: 2.0
Replaces version of: 2021-11-18 (1)

Revision: 2024-05-17

Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

Carcinogenicity

Shall not be classified as carcinogenic.

Reproductive toxicity

Shall not be classified as a reproductive toxicant.

Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

11.2 Information on other hazards

Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) at a concentration of $\geq 0,1\%$.

SECTION 12: Ecological information

12.1 Toxicity

Toxic to aquatic life with long lasting effects.

Aquatic toxicity (acute) of components of the mixture					
Name of substance	CAS No	Endpoint	Value	Species	Exposure time
Baseoil-unspecified	64742-54-7	LL50	$>100 \text{ mg/l}$	fish	96 h
Baseoil-unspecified	64742-54-7	EL50	$>10,000 \text{ mg/l}$	aquatic invertebrates	24 h
Isooctadecanoic acid, reaction products with tetraethylenepentamine	68784-17-8	LC50	$>1,000 \text{ mg/l}$	fish	96 h
Isooctadecanoic acid, reaction products with tetraethylenepentamine	68784-17-8	EC50	$>1,000 \text{ mg/l}$	aquatic invertebrates	48 h
Isooctadecanoic acid, reaction products with tetraethylenepentamine	68784-17-8	NOEC	$1,000 \text{ mg/l}$	aquatic invertebrates	48 h
reaction mass of isomers of: C7-9-alkyl 3-(3,5-di-tert-butyl-4-hydroxyphenyl)propionate	125643-61-0	LC50	$>0.001 \text{ mg/l}$	fish	96 h
reaction mass of isomers of: C7-9-alkyl 3-(3,5-di-tert-butyl-4-hydroxyphenyl)propionate	125643-61-0	EL50	110 mg/l	aquatic invertebrates	48 h
reaction mass of isomers of: C7-9-alkyl 3-(3,5-di-tert-butyl-4-hydroxyphenyl)propionate	125643-61-0	EC50	$>0.008 \text{ mg/l}$	aquatic invertebrates	48 h
reaction mass of isomers of: C7-9-alkyl 3-(3,5-di-tert-butyl-4-hydroxyphenyl)propionate	125643-61-0	ErC50	$>0 \text{ mg/l}$	algae	72 h

Safety Data Sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)

Transition document following GB exit from the EU

Synmar Alexius VI

Version number: 2.0
 Replaces version of: 2021-11-18 (1)

Revision: 2024-05-17

Aquatic toxicity (acute) of components of the mixture					
Name of substance	CAS No	Endpoint	Value	Species	Exposure time
reaction mass of isomers of: C7-9-alkyl 3-(3,5-di-tert-butyl-4-hydroxyphenyl)propionate	125643-61-0	NOEC	0.001 mg/l	fish	96 h
reaction mass of isomers of: C7-9-alkyl 3-(3,5-di-tert-butyl-4-hydroxyphenyl)propionate	125643-61-0	NOELR	56 mg/l	aquatic invertebrates	48 h
reaction mass of isomers of: C7-9-alkyl 3-(3,5-di-tert-butyl-4-hydroxyphenyl)propionate	125643-61-0	LOEC	0 mg/l	algae	72 h
Alkyl phosphites		LL50	2 mg/l	fish	24 h
Alkyl phosphites		EL50	0.09 mg/l	aquatic invertebrates	48 h
Alkyl phosphites		NOELR	0.13 mg/l	algae	72 h
4,4'-thiodiethylene hydrogen -2-octadecenylsuccinate	93882-40-7	LC50	>100 mg/l	fish	96 h
4,4'-thiodiethylene hydrogen -2-octadecenylsuccinate	93882-40-7	EL50	9.5 mg/l	aquatic invertebrates	48 h
4,4'-thiodiethylene hydrogen -2-octadecenylsuccinate	93882-40-7	ErC50	>100 mg/l	algae	72 h

Aquatic toxicity (chronic) of components of the mixture					
Name of substance	CAS No	Endpoint	Value	Species	Exposure time
Baseoil-unspecified	64742-54-7	EL50	>10,000 mg/l	aquatic invertebrates	24 h
Baseoil-unspecified	64742-54-7	LL50	>10,000 mg/l	aquatic invertebrates	24 h
Baseoil-unspecified	64742-54-7	NOELR	≥1,000 mg/l	fish	14 d
Isooctadecanoic acid, reaction products with tetraethylenepentamine	68784-17-8	EL50	72 mg/l	aquatic invertebrates	14 d
Isooctadecanoic acid, reaction products with tetraethylenepentamine	68784-17-8	LOEC	100 mg/l	aquatic invertebrates	21 d
Isooctadecanoic acid, reaction products with tetraethylenepentamine	68784-17-8	growth (EbCx) 10%	>0.004 mg/l	fish	32 d
reaction mass of isomers of: C7-9-alkyl 3-(3,5-di-tert-butyl-4-hydroxyphenyl)propionate	125643-61-0	LC50	>100 mg/l	fish	14 d
reaction mass of isomers of: C7-9-alkyl 3-(3,5-di-tert-butyl-4-hydroxyphenyl)propionate	125643-61-0	EL50	100 mg/l	aquatic invertebrates	21 d
reaction mass of isomers of: C7-9-alkyl 3-(3,5-di-tert-butyl-4-hydroxyphenyl)propionate	125643-61-0	EC50	>1,000 mg/l	microorganisms	3 h

Safety Data Sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)

Transition document following GB exit from the EU

Synmar Alexius VI

Version number: 2.0
Replaces version of: 2021-11-18 (1)

Revision: 2024-05-17

Aquatic toxicity (chronic) of components of the mixture					
Name of substance	CAS No	Endpoint	Value	Species	Exposure time
reaction mass of isomers of: C7-9-alkyl 3-(3,5-di-tert-butyl-4-hydroxyphenyl)propionate	125643-61-0	NOEC	0.36 mg/l	fish	33 d
reaction mass of isomers of: C7-9-alkyl 3-(3,5-di-tert-butyl-4-hydroxyphenyl)propionate	125643-61-0	NOELR	3.2 mg/l	aquatic invertebrates	21 d
reaction mass of isomers of: C7-9-alkyl 3-(3,5-di-tert-butyl-4-hydroxyphenyl)propionate	125643-61-0	LOEC	32 mg/l	aquatic invertebrates	21 d
reaction mass of isomers of: C7-9-alkyl 3-(3,5-di-tert-butyl-4-hydroxyphenyl)propionate	125643-61-0	growth (EbCx) 10%	>100 mg/l	microorganisms	3 h
Alkyl phosphites		LL50	0.22 mg/l	aquatic invertebrates	21 d
Alkyl phosphites		EC50	>50 mg/l	microorganisms	3 h
Alkyl phosphites		NOEC	0.14 mg/l	aquatic invertebrates	21 d
Alkyl phosphites		LOEC	0.35 mg/l	aquatic invertebrates	21 d

12.2 Persistence and degradability

Not readily biodegradable.

Degradability of components					
Name of substance	CAS No	Process	Degradation rate	Time	Method
Isooctadecanoic acid, reaction products with tetraethylenepentamine	68784-17-8	carbon dioxide generation	21.8 %	28 d	
reaction mass of isomers of: C7-9-alkyl 3-(3,5-di-tert-butyl-4-hydroxyphenyl)propionate	125643-61-0	carbon dioxide generation	4 %	28 d	
Alkyl phosphites		carbon dioxide generation	99.2 %	60 d	
4,4'-thiodiethylene hydrogen -2-octadecenylsuccinate	93882-40-7	oxygen depletion	>13 - <17 %	28 d	

12.3 Bioaccumulative potential

Not expected to bioaccumulate.

n-octanol/water (log KOW)	>3
---------------------------	----

Bioaccumulative potential of components				
Name of substance	CAS No	BCF	Log KOW	BOD5/COD
Baseoil-unspecified	64742-54-7		10.16 - 24.9 (pH value: 7, 20 °C)	
Isooctadecanoic acid, reaction products with tetraethylenepentamine	68784-17-8		>6.5 (pH value: ~3, 30 °C)	

Safety Data Sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)

Transition document following GB exit from the EU

Synmar Alexius VI

Version number: 2.0
Replaces version of: 2021-11-18 (1)

Revision: 2024-05-17

Bioaccumulative potential of components				
Name of substance	CAS No	BCF	Log KOW	BOD5/COD
reaction mass of isomers of: C7-9-alkyl 3-(3,5-di-tert-butyl-4-hydroxyphenyl)propionate	125643-61-0	38	7.18 (pH value: 6.9, 30 °C)	
4,4'-thiodiethylene hydrogen -2-octadecenylsuccinate	93882-40-7		>6.5 (pH value: 6, 40 °C)	

12.4 Mobility in soil

Not miscible with water. Spillages may penetrate the soil causing ground water contamination. This product floats on water and may affect the oxygen-balance in the water.

12.5 Results of PBT and vPvB assessment

Does not contain a PBT-/vPvB-substance at a concentration of $\geq 0,1\%$.

12.6 Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) at a concentration of $\geq 0,1\%$.

12.7 Other adverse effects

Data are not available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Sewage disposal-relevant information

Do not empty into drains. Avoid release to the environment.

Waste treatment of containers/packagings

It is a dangerous waste; only packagings which are approved (e.g. acc. to ADR) may be used. Completely emptied packages can be recycled. Handle contaminated packages in the same way as the substance itself.

Remarks

Please consider the relevant national or regional provisions. Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities.

SECTION 14: Transport information

14.1 UN number

IMDG-Code UN 3082

ICAO-TI UN 3082

14.2 UN proper shipping name

IMDG-Code ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

ICAO-TI Environmentally hazardous substance, liquid, n.o.s.

14.3 Transport hazard class(es)

IMDG-Code 9

ICAO-TI 9

14.4 Packing group

IMDG-Code III

ICAO-TI III

Safety Data Sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)

Transition document following GB exit from the EU

Synmar Alexius VI

Version number: 2.0
Replaces version of: 2021-11-18 (1)

Revision: 2024-05-17

14.5 Environmental hazards

Environmentally hazardous substance (aquatic environment)

hazardous to the aquatic environment

4,4'-thiodiethylene hydrogen -2-octadecenylsuccinate, Alkyl phosphites

14.6 Special precautions for user

Provisions for dangerous goods (ADR) should be complied within the premises.

14.7 Maritime transport in bulk according to IMO instruments

No data available.

Additional information for each of the UN Model Regulations

Agreement concerning the International Carriage of Dangerous Goods by Road (ADR) - additional information

not assigned

International Maritime Dangerous Goods Code (IMDG) - additional information

Marine pollutant

yes (hazardous to the aquatic environment) (Alkyl phosphites)

Danger label(s)

9, fish and tree



Special provisions (SP)

274, 335, 969

Excepted quantities (EQ)

E1

Limited quantities (LQ)

5 L

EmS

F-A, S-F

Stowage category

A

International Civil Aviation Organization (ICAO-IATA/DGR) - additional information

Environmental hazards

yes (hazardous to the aquatic environment)

Danger label(s)

9, fish and tree



Special provisions (SP)

A97, A158, A197, A215

Excepted quantities (EQ)

E1

Limited quantities (LQ)

30 kg

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Relevant provisions of the European Union (EU)

Seveso Directive

2012/18/EU (Seveso III)				
No	Dangerous substance/hazard categories	Qualifying quantity (tonnes) for the application of lower and upper-tier requirements		Notes
E2	environmental hazards (hazardous to the aquatic environment, cat. 2)	200	500	57)

Safety Data Sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)

Transition document following GB exit from the EU

Synmar Alexius VI

Version number: 2.0
Replaces version of: 2021-11-18 (1)

Revision: 2024-05-17

Notation

57) hazardous to the Aquatic Environment in category Chronic 2

Regulation concerning the establishment of a European Pollutant Release and Transfer Register (PRTR)

None of the ingredients are listed.

Water Framework Directive (WFD)

None of the ingredients are listed.

Regulation (EU) 2019/1148 of the European Parliament and of the Council of 20 June 2019 on the marketing and use of explosives precursors, amending Regulation (EC) No 1907/2006 and repealing Regulation (EU) No 98/2013

None of the ingredients are listed.

Regulation on persistent organic pollutants (POP)

None of the ingredients are listed.

National regulations (GB)

List of substances subject to authorisation (GB REACH, Annex 14) / SVHC - candidate list

None of the ingredients are listed.

Restrictions according to GB REACH, Annex 17

Dangerous substances with restrictions (GB REACH, Annex 17)			
Name	Name acc. to inventory	Conditions of restriction	No
Synmar Alexius VI	this product meets the criteria for classification in accordance with Regulation No 1272/2008/EC	R3	3

Legend

R3

- Shall not be used in:
 - ornamental articles intended to produce light or colour effects by means of different phases, for example in ornamental lamps and ashtrays,
 - tricks and jokes,
 - games for one or more participants, or any article intended to be used as such, even with ornamental aspects,
- Articles not complying with paragraph 1 shall not be placed on the market.
- Shall not be placed on the market if they contain a colouring agent, unless required for fiscal reasons, or perfume, or both, if they:
 - can be used as fuel in decorative oil lamps for supply to the general public, and,
 - present an aspiration hazard and are labelled with R65 or H304,
- Decorative oil lamps for supply to the general public shall not be placed on the market unless they conform to the British Standard Specification on Decorative oil lamps (BS EN 14059) adopted by the British Standards Institute.
- Without prejudice to the implementation of other legislation relating to the classification, packaging and labelling of dangerous substances and mixtures, suppliers shall ensure, before the placing on the market, that the following requirements are met:
 - lamp oils, labelled with R65 or H304, intended for supply to the general public are visibly, legibly and indelibly marked as follows: 'Keep lamps filled with this liquid out of the reach of children'; and, by 1 December 2010 'Just a sip of lamp oil
 - or even sucking the wick of lamps
 - may lead to life-threatening lung damage';
 - grill lighter fluids, labelled with R65 or H304, intended for supply to the general public are legibly and indelibly marked by 1 December 2010 as follows: 'Just a sip of grill lighter may lead to life-threatening lung damage';
 - lamp oils and grill lighters, labelled with R65 or H304, intended for supply to the general public are packaged in black opaque containers not exceeding 1 litre by 1 December 2010.
- Natural or legal persons placing on the market for the first time lamp oils and grill lighter fluids, labelled with R65 or H304, shall by 1 December 2011, and annually thereafter, provide data on alternatives to lamp oils and grill lighter fluids labelled R65 or H304 to the Agency.

15.2 Chemical Safety Assessment

No Chemical Safety Assessment has been carried out for this mixture by the supplier.

Safety Data Sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)

Transition document following GB exit from the EU

Synmar Alexius VI

Version number: 2.0
 Replaces version of: 2021-11-18 (1)

Revision: 2024-05-17

SECTION 16: Other information

Indication of changes (revised safety data sheet)

Section	Former entry (text/value)	Actual entry (text/value)
1.1	Trade name: Synmar Alexius VI RED	Trade name: Synmar Alexius VI
1.1	Registration number (REACH): Not relevant (mixture)	
1.2	Relevant identified uses: Lubricants and lubricant additives Professional uses Consumer uses	Relevant identified uses: Lubricants and lubricant additives Professional use Consumer use
1.3	Details of the supplier of the safety data sheet: Synmar B.V. Hogeweg 210 3815 LZ Amersfoort Netherlands Telephone: +31 (0) 33 303 3044 e-mail: info@synmar.nl Website: www.synmar.nl	Details of the supplier of the safety data sheet: Synmar B.V. Albert Schweitzerstraat 7 7131 PG Lichtenvoorde Netherlands Telephone: +31 (0) 33 303 3044 e-mail: info@synmar.nl Website: www.synmar.nl
1.4		Poison centre: change in the listing (table)
2.1		Classification (acc. to GB CLP): change in the listing (table)
2.1		Classification (acc. to GB CLP): change in the listing (table)
2.2	- pictograms: Not required.	- pictograms
2.2		- pictograms: change in the listing (table)
2.2		- hazard statements: change in the listing (table)
2.2		- precautionary statements: change in the listing (table)
2.3	Other hazards: Of no significance.	Other hazards
2.3	Results of PBT and vPvB assessment: This mixture does not contain any substances that are assessed to be a PBT or a vPvB.	Results of PBT and vPvB assessment: Does not contain a PBT-/vPvB-substance at a concentration of $\geq 0,1\%$.
2.3		Endocrine disrupting properties: Does not contain an endocrine disruptor (ED) at a concentration of $\geq 0,1\%$.
3.2		Mixtures: change in the listing (table)
3.2		Mixtures: change in the listing (table)
3.2	Remarks: For full text of H-phrases: see SECTION 16. All the percentages given are percentages by weight unless stated otherwise.	Remarks: All the percentages given are percentages by weight unless stated otherwise. For full text of H-phrases: see SECTION 16.

Safety Data Sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)

Transition document following GB exit from the EU

Synmar Alexius VI

Version number: 2.0
Replaces version of: 2021-11-18 (1)

Revision: 2024-05-17

Section	Former entry (text/value)	Actual entry (text/value)
5.3	Special protective equipment for firefighters: Self-contained breathing apparatus (EN 133). Standard protective clothing for firefighters.	Special protective equipment for firefighters: Self-contained breathing apparatus (SCBA). Standard protective clothing for firefighters.
7.2	- packaging compatibilities: Keep only in original container.	- packaging compatibilities: Only packagings which are approved (e.g. acc. to ADR) may be used.
8.1		Relevant DNELs of components of the mixture: change in the listing (table)
8.1		Relevant PNECs of components: change in the listing (table)
8.2	Appropriate engineering controls: General ventilation.	Appropriate engineering controls: General ventilation. Provide eyewash stations and safety showers at the workplace.
8.2	Eye/face protection: eye protection must be worn Use safety goggle with side protection (EN 166).	Eye/face protection: eye protection must be worn Use safety goggle with side protection
8.2	Skin protection: wear protective clothing Protective clothing (EN 340 & EN ISO 13688).	Skin protection: wear protective clothing Chemical protective clothing.
8.2	Hand protection: safety gloves must be worn Wear suitable gloves. Check leak-tightness/impermeability prior to use. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. Chemical protection gloves are suitable, which are tested according to EN 374. The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.	Hand protection: safety gloves must be worn Wear suitable gloves. Check leak-tightness/impermeability prior to use. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.
8.2	Breakthrough times of the glove material: Use gloves with a minimum breakthrough times of the glove material: >480 minutes (permeation: level 6).	Breakthrough time of the glove material: Use gloves with a minimum breakthrough time of the glove material: >480 minutes (permeation: level 6).
8.2	- other protection measures: Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended. Wash hands thoroughly after handling. Provide eyewash stations and safety showers at the workplace.	- other protection measures: Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended. Wash hands thoroughly after handling.
8.2	Respiratory protection: In case of inadequate ventilation wear respiratory protection. Full face mask/half mask/quarter mask (EN 136/140). Type: A-P2 (combined filters against particles and organic gases and vapours, colour code: Brown/White).	Respiratory protection: In case of inadequate ventilation wear respiratory protection. Type: A-P2 (combined filters against particles and organic gases and vapours, colour code: Brown/White).
9.1		Density and/or relative density
9.2	Other information	Other information: There is no additional information.
9.2	Other safety characteristics: there is no additional information	Other safety characteristics
9.2		Evaporation rate: <0.1 (n-butyl acetate = 1)

Safety Data Sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)

Transition document following GB exit from the EU

Synmar Alexius VI

Version number: 2.0
Replaces version of: 2021-11-18 (1)

Revision: 2024-05-17

Section	Former entry (text/value)	Actual entry (text/value)
11.1	Acute toxicity of components of the mixture	
11.1		Acute toxicity estimate (ATE) of components: change in the listing (table)
11.1		Acute toxicity of components: change in the listing (table)
11.2	Information on other hazards: There is no additional information.	Information on other hazards
11.2		Endocrine disrupting properties: Does not contain an endocrine disruptor (ED) at a concentration of $\geq 0,1\%$.
12.1	Toxicity: Harmful to aquatic life with long lasting effects.	Toxicity: Toxic to aquatic life with long lasting effects.
12.1		Aquatic toxicity (acute) of components of the mixture: change in the listing (table)
12.1		Aquatic toxicity (chronic) of components of the mixture: change in the listing (table)
12.2		Degradability of components: change in the listing (table)
12.3		Bioaccumulative potential of components: change in the listing (table)
12.5	Results of PBT and vPvB assessment: This mixture does not contain any substances that are assessed to be a PBT or a vPvB.	Results of PBT and vPvB assessment: Does not contain a PBT-/vPvB-substance at a concentration of $\geq 0,1\%$.
12.6	Endocrine disrupting properties: None of the ingredients are listed.	Endocrine disrupting properties: Does not contain an endocrine disruptor (ED) at a concentration of $\geq 0,1\%$.
13.1	Waste treatment of containers/packagings: Completely emptied packages can be recycled. Handle contaminated packages in the same way as the substance itself.	Waste treatment of containers/packagings: It is a dangerous waste; only packagings which are approved (e.g. acc. to ADR) may be used. Completely emptied packages can be recycled. Handle contaminated packages in the same way as the substance itself.
14.1	UN number or ID number: not subject to transport regulations	UN number
14.1		IMDG-Code: UN 3082
14.1		ICAO-TI: UN 3082
14.2	UN proper shipping name: not relevant	UN proper shipping name
14.2		IMDG-Code: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
14.2		ICAO-TI: Environmentally hazardous substance, liquid, n.o.s.
14.3	Transport hazard class(es): none	Transport hazard class(es)
14.3		IMDG-Code: 9

Safety Data Sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)

Transition document following GB exit from the EU

Synmar Alexius VI

 Version number: 2.0
 Replaces version of: 2021-11-18 (1)

Revision: 2024-05-17

Section	Former entry (text/value)	Actual entry (text/value)
14.3		ICAO-TI: 9
14.4	Packing group: not assigned	Packing group
14.4		IMDG-Code: III
14.4		ICAO-TI: III
14.5	Environmental hazards: non-environmentally hazardous acc. to the dangerous goods regulations	Environmental hazards: hazardous to the aquatic environment
14.5		Environmentally hazardous substance (aquatic environ- ment): 4,4'-thiodiethylene hydrogen -2-octadecenylsuccinate, Al- kyl phosphites
14.6	Special precautions for user: There is no additional information.	Special precautions for user: Provisions for dangerous goods (ADR) should be compl- ied within the premises.
14.7	Transport of dangerous goods by road, rail and inland wa- terway (ADR/RID/ADN) - additional information: Not subject to ADR, RID and ADN.	Agreement concerning the International Carriage of Dan- gerous Goods by Road (ADR) - additional information: not assigned
14.7	International Maritime Dangerous Goods Code (IMDG) - additional information: Not subject to IMDG.	International Maritime Dangerous Goods Code (IMDG) - additional information
14.7		Marine pollutant: yes (hazardous to the aquatic environment) (Alkyl phos- phites)
14.7		Danger label(s): 9, fish and tree
14.7		Danger label(s): change in the listing (table)
14.7		Special provisions (SP): 274, 335, 969
14.7		Excepted quantities (EQ): E1
14.7		Limited quantities (LQ): 5 L
14.7		EmS: F-A, S-F
14.7		Stowage category: A
14.7	International Civil Aviation Organization (ICAO-IATA/ DGR) - additional information: Not subject to ICAO-IATA.	International Civil Aviation Organization (ICAO-IATA/ DGR) - additional information
14.7		Environmental hazards: yes (hazardous to the aquatic environment)
14.7		Danger label(s): 9, fish and tree
14.7		Danger label(s): change in the listing (table)

Safety Data Sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)

Transition document following GB exit from the EU

Synmar Alexius VI

 Version number: 2.0
 Replaces version of: 2021-11-18 (1)

Revision: 2024-05-17

Section	Former entry (text/value)	Actual entry (text/value)
14.7		Special provisions (SP): A97, A158, A197, A215
14.7		Excepted quantities (EQ): E1
14.7		Limited quantities (LQ): 30 kg
15.1	Restrictions according to REACH, Annex XVII	
15.1		Restrictions according to REACH, Annex XVII: change in the listing (table)
15.1	List of substances subject to authorisation (REACH, Annex XIV) / SVHC - candidate list: None of the ingredients are listed.	
15.1		2012/18/EU (Seveso III): change in the listing (table)
15.1		National regulations (GB)
15.1		List of substances subject to authorisation (GB REACH, Annex 14) / SVHC - candidate list: None of the ingredients are listed.
15.1		Restrictions according to GB REACH, Annex 17
15.1		Dangerous substances with restrictions (GB REACH, Annex 17): change in the listing (table)
16		Abbreviations and acronyms: change in the listing (table)
16	Key literature references and sources for data: Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures. Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU. Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).	Key literature references and sources for data: The REACH etc. (Amendment etc.) (EU Exit) Regulations 2019, SI 2019/758 (as amended). The Chemicals (Health and Safety) and Genetically Modified Organisms (Contained Use) (Amendment etc.) (EU Exit) Regulations 2019, SI 2019/720 (as amended). GB mandatory classification and labelling. Agreement concerning the International Carriage of Dangerous Goods by Road (ADR). Regulations concerning the International Carriage of Dangerous Goods by Rail (RID). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).
16		List of relevant phrases (code and full text as stated in section 2 and 3): change in the listing (table)

Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations
Acute Tox.	Acute toxicity
ADR	Accord relatif au transport international des marchandises dangereuses par route (Agreement concerning the International Carriage of Dangerous Goods by Road)
Aquatic Acute	Hazardous to the aquatic environment - acute hazard
Aquatic Chronic	Hazardous to the aquatic environment - chronic hazard
Asp. Tox.	Aspiration hazard
ATE	Acute Toxicity Estimate

Safety Data Sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)

Transition document following GB exit from the EU

Synmar Alexius VI

Version number: 2.0
Replaces version of: 2021-11-18 (1)

Revision: 2024-05-17

Abbr.	Descriptions of used abbreviations
BCF	Bioconcentration factor
BOD	Biochemical Oxygen Demand
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
COD	Chemical oxygen demand
DGR	Dangerous Goods Regulations (see IATA/DGR)
DMEL	Derived Minimal Effect Level
DNEL	Derived No-Effect Level
EC50	Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval
EC No	The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an identifier of substances commercially available within the EU (European Union)
ED	Endocrine disruptor
EINECS	European Inventory of Existing Commercial Chemical Substances
EL50	Effective Loading 50 %: the EL50 corresponds to the loading rate required to produce a response in 50% of the test organisms
ELINCS	European List of Notified Chemical Substances
EmS	Emergency Schedule
ErC50	≡ EC50: in this method, that concentration of test substance which results in a 50 % reduction in either growth (EbC50) or growth rate (ErC50) relative to the control
Eye Dam.	Seriously damaging to the eye
Eye Irrit.	Irritant to the eye
GB CLP	The Chemicals (Health and Safety) and Genetically Modified Organisms (Contained Use) (Amendment etc.) (EU Exit) Regulations 2019, SI 2019/720 (as amended)
GB REACH	The REACH etc. (Amendment etc.) (EU Exit) Regulations 2019, SI 2019/758 (as amended)
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations
IATA	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization
ICAO-TI	Technical instructions for the safe transport of dangerous goods by air
IMDG	International Maritime Dangerous Goods Code
IMDG-Code	International Maritime Dangerous Goods Code
index No	The Index number is the identification code given to the substance in Part 3 of Annex VI to Regulation (EC) No 1272/2008
LC50	Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval
LD50	Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during a specified time interval
LEL	Lower explosion limit (LEL)
LL50	Lethal Loading 50 %: the LL50 corresponds to the loading rate causing 50 % lethality
LOEC	Lowest Observed Effect Concentration

Safety Data Sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)

Transition document following GB exit from the EU

Synmar Alexius VI

Version number: 2.0
Replaces version of: 2021-11-18 (1)

Revision: 2024-05-17

Abbr.	Descriptions of used abbreviations
log KOW	n-Octanol/water
M-factor	Means a multiplying factor. It is applied to the concentration of a substance classified as hazardous to the aquatic environment acute category 1 or chronic category 1, and is used to derive by the summation method the classification of a mixture in which the substance is present
NLP	No-Longer Polymer
NOEC	No Observed Effect Concentration
NOELR	No Observed Effect Loading Rate
PBT	Persistent, Bioaccumulative and Toxic
PNEC	Predicted No-Effect Concentration
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regulations concerning the International carriage of Dangerous goods by Rail)
Skin Corr.	Corrosive to skin
Skin Irrit.	Irritant to skin
Skin Sens.	Skin sensitisation
UEL	Upper explosion limit (UEL)
vPvB	Very Persistent and very Bioaccumulative

Key literature references and sources for data

The REACH etc. (Amendment etc.) (EU Exit) Regulations 2019, SI 2019/758 (as amended). The Chemicals (Health and Safety) and Genetically Modified Organisms (Contained Use) (Amendment etc.) (EU Exit) Regulations 2019, SI 2019/720 (as amended). GB mandatory classification and labelling.

Agreement concerning the International Carriage of Dangerous Goods by Road (ADR). Regulations concerning the International Carriage of Dangerous Goods by Rail (RID). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

Classification procedure

Physical and chemical properties: The classification is based on tested mixture.

Health hazards, Environmental hazards: The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

List of relevant phrases (code and full text as stated in section 2 and 3)

Code	Text
H304	May be fatal if swallowed and enters airways.
H312	Harmful in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.

Safety Data Sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)

Transition document following GB exit from the EU

Synmar Alexius VI

Version number: 2.0
Replaces version of: 2021-11-18 (1)

Revision: 2024-05-17

Code	Text
H411	Toxic to aquatic life with long lasting effects.
H413	May cause long lasting harmful effects to aquatic life.

Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.